

Simplifying Square Roots

1. Simplify each square root.

$$\sqrt{12}$$

2. Simplify each square root.

$$\sqrt{72}$$

3. Simplify each square root.

$$\frac{4 - \sqrt{20}}{2}$$

4. Simplify each square root. Assume all variables represent nonnegative real numbers.

$$\sqrt{y^{10}}$$

5. Simplify each square root. Assume all variables represent nonnegative real numbers.

$$\sqrt{75y^{13}}$$

6. Simplify each square root. Assume all variables represent nonnegative real numbers.

$$\sqrt{80n^{21}}$$

7. Simplify each square root. Assume all variables represent nonnegative real numbers.

$$\sqrt{72a^{10}b^7}$$

8. Simplify each square root. Assume all variables represent positive real numbers.

$$\sqrt{\frac{4}{25}}$$

9. Simplify each square root. Assume all variables represent positive real numbers.

$$\sqrt{\frac{17}{16}}$$

10. Simplify each square root. Assume all variables represent positive real numbers.

$$\sqrt{\frac{3}{x^2}}$$

11. Simplify each square root. Assume all variables represent positive real numbers.

$$\sqrt{\frac{40a^5b^8}{c^4}}$$

12. Simplify each square root. Assume all variables represent positive real numbers.

$$\sqrt{\frac{100m^{21}}{9m^{10}}}$$